


**INSPECTION
CERTIFICATE**
TRACEABLE TO NIST

SHOCK
PROOF


HIGH PRECISION COMPACT DIAL INDICATORS

INSIZE PLUS
MADE IN EUROPE

- Shockproof
- Jeweled bearing
- With limit pointers
- Optional accessory:
backs (page 176~177),
contact points (page 173~175),
lifting lever (code 6289-150)



2890-1



| Code | Range | Graduation | Accuracy | Hysteresis | Range/rev | Dial reading | Remark |
|----------|-------|------------|----------|------------|-----------|--------------|-----------|
| 2890-1* | 1mm | 0.001mm | 3µm | 1.5µm | 0.1mm | 0-100 | lug back |
| 2890-1F* | 1mm | 0.001mm | 3µm | 1.5µm | 0.1mm | 0-100 | flat back |

*Supplied with manufacturer inspection certificate traceable to NIST USA



**INSPECTION
CERTIFICATE**
TRACEABLE TO NIST

SHOCK
PROOF


HIGH PRECISION DIAL INDICATORS

INSIZE PLUS
MADE IN EUROPE

- Shockproof
- Jeweled bearing
- With limit pointers
- Optional accessory:
backs (page 176~177),
contact points (page 173~175),
lifting lever (code 6289-150)



2891-1



| Code | Range | Graduation | Accuracy | Hysteresis | Range/rev | Dial reading | Remark |
|----------|-------|------------|----------|------------|-----------|--------------|-----------|
| 2891-1* | 1mm | 0.001mm | 3µm | 1.5µm | 0.1mm | 0-100 | lug back |
| 2891-1F* | 1mm | 0.001mm | 3µm | 1.5µm | 0.1mm | 0-100 | flat back |

*Supplied with manufacturer inspection certificate traceable to NIST USA

**INSPECTION
CERTIFICATE**
TRACEABLE TO NIST

SHOCK
PROOF

JEWELLED
BEARING


PRECISION DIAL INDICATORS

INSIZE PLUS
MADE IN EUROPE

- Shockproof
- Jeweled bearing
- With limit pointers
- Optional accessory:
backs (page 176~177),
contact points (page 173~175)



2830-1



| Code | Range | Graduation | Accuracy | Hysteresis | Range/rev | Dial reading | Remark |
|----------|-------|------------|----------|------------|-----------|--------------|-----------|
| 2830-1* | 1mm | 0.001mm | 5µm | 2µm | 0.2mm | 0-100-0 | lug back |
| 2830-1F* | 1mm | 0.001mm | 5µm | 2µm | 0.2mm | 0-100-0 | flat back |

*Supplied with manufacturer inspection certificate traceable to NIST USA